


Hochleistungs-Schmalkeilriemen

DIN 7753 Teil 1 / ISO 4184

Optibelt Red Power 3



3V / 9N

5V / 15N

SPA

SPB

SPC

SPZ

8V / 25N

Profil SPZ		
Nr.	Kurzbez.	Richtlänge L _w /L _d (mm)
102703	SPZ 1202	1.202
102704	SPZ 1212	1.212
102705	SPZ 1237	1.237
102706	SPZ 1250	1.250
102707	SPZ 1262	1.262
102708	SPZ 1287	1.287
102709	SPZ 1312	1.312
102710	SPZ 1320	1.320
102711	SPZ 1337	1.337
102712	SPZ 1362	1.362
102713	SPZ 1387	1.387
102714	SPZ 1400	1.400
102715	SPZ 1412	1.412
102716	SPZ 1437	1.437
102717	SPZ 1462	1.462
102718	SPZ 1487	1.487
102719	SPZ 1500	1.500
102720	SPZ 1512	1.512

Profil SPZ		
Nr.	Kurzbez.	Richtlänge L _w /L _d (mm)
102721	SPZ 1537	1.537
102722	SPZ 1562	1.562
102723	SPZ 1587	1.587
102724	SPZ 1600	1.600
102725	SPZ 1612	1.612
102726	SPZ 1637	1.637
102727	SPZ 1662	1.662
102728	SPZ 1687	1.687
102729	SPZ 1700	1.700
102730	SPZ 1737	1.737
102731	SPZ 1762	1.762
102732	SPZ 1787	1.787
102733	SPZ 1800	1.800
102734	SPZ 1837	1.837
102735	SPZ 1862	1.862
102736	SPZ 1887	1.887
102737	SPZ 1900	1.900
102738	SPZ 1937	1.937


Profil SPZ		
Nr.	Kurzbez.	Richtlänge L _w /L _d (mm)
102739	SPZ 1987	1.987
102740	SPZ 2000	2.000
102741	SPZ 2037	2.037
102742	SPZ 2120	2.120
102743	SPZ 2137	2.137
102744	SPZ 2187	2.187
102745	SPZ 2240	2.240
102746	SPZ 2287	2.287
102747	SPZ 2360	2.360
102748	SPZ 2500	2.500
102749	SPZ 2650	2.650
102750	SPZ 2800	2.800
102751	SPZ 3000	3.000
102752	SPZ 3150	3.150
102753	SPZ 3350	3.350
102754	SPZ 3550	3.550

Profil SPA		
Nr.	Kurzbez.	Richtlänge L _w /L _d (mm)
102755	SPA 1207	1.207
102756	SPA 1232	1.232
102757	SPA 1250	1.250
102758	SPA 1257	1.257
102759	SPA 1282	1.282
102760	SPA 1307	1.307
102761	SPA 1320	1.320
102762	SPA 1332	1.332
102763	SPA 1357	1.357
102764	SPA 1382	1.382
102765	SPA 1400	1.400
102766	SPA 1407	1.407
102767	SPA 1432	1.432
102768	SPA 1457	1.457
102769	SPA 1482	1.482
102770	SPA 1500	1.500
102771	SPA 1507	1.507
102772	SPA 1532	1.532

Hochleistungs-Schmalkeilriemen

DIN 7753 Teil 1 / ISO 4184

Optibelt Red Power 3



3V / 9N

5V / 15N

SPA

SPB

SPC

SPZ

8V / 25N

Profil SPA		
Nr.	Kurzbez.	Richtlänge L _w /L _d (mm)
102773	SPA 1557	1.557
102774	SPA 1582	1.582
102775	SPA 1600	1.600
102776	SPA 1607	1.607
102777	SPA 1632	1.632
102778	SPA 1657	1.657
102779	SPA 1682	1.682
102780	SPA 1700	1.700
102781	SPA 1707	1.707
102782	SPA 1732	1.732
102783	SPA 1757	1.757
102784	SPA 1782	1.782
102785	SPA 1800	1.800
102786	SPA 1807	1.807
102787	SPA 1832	1.832
102788	SPA 1857	1.857
102789	SPA 1882	1.882
102790	SPA 1900	1.900

Profil SPA		
Nr.	Kurzbez.	Richtlänge L _w /L _d (mm)
102791	SPA 1907	1.907
102792	SPA 1932	1.932
102793	SPA 1957	1.957
102794	SPA 1982	1.982
102795	SPA 2000	2.000
102796	SPA 2032	2.032
102797	SPA 2057	2.057
102798	SPA 2082	2.082
102799	SPA 2120	2.120
102800	SPA 2132	2.132
102801	SPA 2182	2.182
102802	SPA 2207	2.207
102803	SPA 2232	2.232
102804	SPA 2240	2.240
102805	SPA 2282	2.282
102806	SPA 2300	2.300
102807	SPA 2307	2.307
102808	SPA 2332	2.332


Profil SPA		
Nr.	Kurzbez.	Richtlänge L _w /L _d (mm)
102809	SPA 2360	2.360
102810	SPA 2382	2.382
102811	SPA 2432	2.432
102812	SPA 2482	2.482
102813	SPA 2500	2.500
102814	SPA 2532	2.532
102815	SPA 2582	2.582
102816	SPA 2607	2.607
102817	SPA 2632	2.632
102818	SPA 2650	2.650
102819	SPA 2682	2.682
102820	SPA 2732	2.732
102821	SPA 2782	2.782
102822	SPA 2800	2.800
102823	SPA 2832	2.832
102824	SPA 2847	2.847
102825	SPA 2882	2.882
102826	SPA 2932	2.932

Profil SPA		
Nr.	Kurzbez.	Richtlänge L _w /L _d (mm)
102827	SPA 2982	2.982
102828	SPA 3000	3.000
102829	SPA 3032	3.032
102830	SPA 3082	3.082
102831	SPA 3150	3.150
102832	SPA 3182	3.182
102833	SPA 3282	3.282
102834	SPA 3350	3.350
102835	SPA 3382	3.382
102836	SPA 3550	3.550
102837	SPA 3750	3.750
102838	SPA 4000	4.000

Hochleistungs-Schmalkeilriemen

DIN 7753 Teil 1 / ISO 4184

Optibelt Red Power 3



3V / 9N

5V / 15N

SPA

SPB

SPC

SPZ

8V / 25N

Profil SPB		
Nr.	Kurzbez.	Richtlänge L _w /L _d (mm)
102839	SPB 1250	1.250
102840	SPB 1320	1.320
102841	SPB 1400	1.400
102842	SPB 1500	1.500
102843	SPB 1600	1.600
102844	SPB 1700	1.700
102845	SPB 1800	1.800
102846	SPB 1900	1.900
102847	SPB 2000	2.000
102848	SPB 2120	2.120
102849	SPB 2240	2.240
102850	SPB 2360	2.360
102851	SPB 2500	2.500
102852	SPB 2650	2.650
102853	SPB 2800	2.800
102854	SPB 3000	3.000
102855	SPB 3150	3.150
102856	SPB 3350	3.350

Profil SPB		
Nr.	Kurzbez.	Richtlänge L _w /L _d (mm)
102857	SPB 3550	3.550
102858	SPB 3750	3.750
102859	SPB 4000	4.000
102860	SPB 4250	4.250
102861	SPB 4500	4.500
102862	SPB 4750	4.750
102863	SPB 5000	5.000
102864	SPB 5300	5.300
102865	SPB 5600	5.600
102866	SPB 6000	6.000
102867	SPB 6300	6.300
102868	SPB 6700	6.700
102869	SPB 7100	7.100
102870	SPB 7500	7.500
102871	SPB 8000	8.000

Profil SPC		
Nr.	Kurzbez.	Richtlänge L _w /L _d (mm)
102872	SPC 2000	2.000
102873	SPC 2120	2.120
102874	SPC 2240	2.240
102875	SPC 2360	2.360
102876	SPC 2500	2.500
102877	SPC 2650	2.650
102878	SPC 2800	2.800
102879	SPC 3000	3.000
102880	SPC 3150	3.150
102881	SPC 3350	3.350
102882	SPC 3550	3.550
102883	SPC 3750	3.750
102884	SPC 4000	4.000
102885	SPC 4250	4.250
102886	SPC 4500	4.500
102887	SPC 4750	4.750
102888	SPC 5000	5.000
102889	SPC 5300	5.300

Profil SPC		
Nr.	Kurzbez.	Richtlänge L _w /L _d (mm)
102890	SPC 5600	5.600
102891	SPC 6000	6.000
102892	SPC 6300	6.300
102893	SPC 6700	6.700
102894	SPC 7100	7.100
102895	SPC 7500	7.500
102896	SPC 8000	8.000
102897	SPC 8500	8.500
102898	SPC 9000	9.000
102899	SPC 9500	9.500
102900	SPC 10000	10.000