


# Zahnriemen PU Alpha Power

Profil T5

hs = 2,20 mm ht = 1,20 mm t = 5 mm

$\beta = 40^\circ$  s = 1,80 mm

Optibelt



Breite 6 mm

Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne
115112	165 T5 006	165	33	115245	340 T5 006	340	68	115378	510 T5 006	510	102	115511	725 T5 006	725	145
115119	185 T5 006	185	37	115252	350 T5 006	350	70	115385	525 T5 006	525	105	115518	750 T5 006	750	150
115126	200 T5 006	200	40	115259	355 T5 006	355	71	115392	545 T5 006	545	109	115525	780 T5 006	780	156
115133	215 T5 006	215	43	115266	365 T5 006	365	73	115399	550 T5 006	550	110	115532	800 T5 006	800	160
115140	220 T5 006	220	44	115273	375 T5 006	375	75	115406	560 T5 006	560	112	115539	815 T5 006	815	163
115147	225 T5 006	225	45	115280	390 T5 006	390	78	115413	575 T5 006	575	115	115546	840 T5 006	840	168
115154	245 T5 006	245	49	115287	400 T5 006	400	80	115420	590 T5 006	590	118	115553	850 T5 006	850	170
115161	250 T5 006	250	50	115294	410 T5 006	410	82	115427	600 T5 006	600	120	115560	900 T5 006	900	180
115168	255 T5 006	255	51	115301	420 T5 006	420	84	115434	610 T5 006	610	122	115567	940 T5 006	940	188
115175	260 T5 006	260	52	115308	425 T5 006	425	85	115441	620 T5 006	620	124	115574	990 T5 006	990	198
115182	270 T5 006	270	54	115315	430 T5 006	430	86	115448	625 T5 006	625	125	115581	1000 T5 006	1.000	200
115189	275 T5 006	275	55	115322	440 T5 006	440	88	115455	630 T5 006	630	126	115588	1075 T5 006	1.075	215
115196	280 T5 006	280	56	115329	445 T5 006	445	89	115462	640 T5 006	640	128	115595	1100 T5 006	1.100	220
115203	295 T5 006	295	59	115336	450 T5 006	450	90	115469	650 T5 006	650	130	115602	1140 T5 006	1.140	228
115210	300 T5 006	300	60	115343	455 T5 006	455	91	115476	660 T5 006	660	132	115609	1215 T5 006	1.215	243
115217	305 T5 006	305	61	115350	460 T5 006	460	92	115483	675 T5 006	675	135	115616	1315 T5 006	1.315	263
115224	320 T5 006	320	64	115357	475 T5 006	475	95	115490	690 T5 006	690	138	115623	1350 T5 006	1.350	270
115231	325 T5 006	325	65	115364	480 T5 006	480	96	115497	700 T5 006	700	140	115630	1380 T5 006	1.380	276
115238	330 T5 006	330	66	115371	500 T5 006	500	100	115504	720 T5 006	720	144	115637	1440 T5 006	1.440	288


# Zahnriemen PU Alpha Power

Profil T5

hs = 2,20 mm ht = 1,20 mm t = 5 mm

$\beta = 40^\circ$  s = 1,80 mm

Optibelt



Breite 8 mm

Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne
115113	165 T5 008	165	33	115246	340 T5 008	340	68	115379	510 T5 008	510	102	115512	725 T5 008	725	145
115120	185 T5 008	185	37	115253	350 T5 008	350	70	115386	525 T5 008	525	105	115519	750 T5 008	750	150
115127	200 T5 008	200	40	115260	355 T5 008	355	71	115393	545 T5 008	545	109	115526	780 T5 008	780	156
115134	215 T5 008	215	43	115267	365 T5 008	365	73	115400	550 T5 008	550	110	115533	800 T5 008	800	160
115141	220 T5 008	220	44	115274	375 T5 008	375	75	115407	560 T5 008	560	112	115540	815 T5 008	815	163
115148	225 T5 008	225	45	115281	390 T5 008	390	78	115414	575 T5 008	575	115	115547	840 T5 008	840	168
115155	245 T5 008	245	49	115288	400 T5 008	400	80	115421	590 T5 008	590	118	115554	850 T5 008	850	170
115162	250 T5 008	250	50	115295	410 T5 008	410	82	115428	600 T5 008	600	120	115561	900 T5 008	900	180
115169	255 T5 008	255	51	115302	420 T5 008	420	84	115435	610 T5 008	610	122	115568	940 T5 008	940	188
115176	260 T5 008	260	52	115309	425 T5 008	425	85	115442	620 T5 008	620	124	115575	990 T5 008	990	198
115183	270 T5 008	270	54	115316	430 T5 008	430	86	115449	625 T5 008	625	125	115582	1000 T5 008	1.000	200
115190	275 T5 008	275	55	115323	440 T5 008	440	88	115456	630 T5 008	630	126	115589	1075 T5 008	1.075	215
115197	280 T5 008	280	56	115330	445 T5 008	445	89	115463	640 T5 008	640	128	115596	1100 T5 008	1.100	220
115204	295 T5 008	295	59	115337	450 T5 008	450	90	115470	650 T5 008	650	130	115603	1140 T5 008	1.140	228
115211	300 T5 008	300	60	115344	455 T5 008	455	91	115477	660 T5 008	660	132	115610	1215 T5 008	1.215	243
115218	305 T5 008	305	61	115351	460 T5 008	460	92	115484	675 T5 008	675	135	115617	1315 T5 008	1.315	263
115225	320 T5 008	320	64	115358	475 T5 008	475	95	115491	690 T5 008	690	138	115624	1350 T5 008	1.350	270
115232	325 T5 008	325	65	115365	480 T5 008	480	96	115498	700 T5 008	700	140	115631	1380 T5 008	1.380	276
115239	330 T5 008	330	66	115372	500 T5 008	500	100	115505	720 T5 008	720	144	115638	1440 T5 008	1.440	288


# Zahnriemen PU Alpha Power

Profil T5

hs = 2,20 mm ht = 1,20 mm t = 5 mm

$\beta = 40^\circ$  s = 1,80 mm

Optibelt



Breite 10 mm

Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne
115114	165 T5 010	165	33	115247	340 T5 010	340	68	115380	510 T5 010	510	102	115513	725 T5 010	725	145
115121	185 T5 010	185	37	115254	350 T5 010	350	70	115387	525 T5 010	525	105	115520	750 T5 010	750	150
115128	200 T5 010	200	40	115261	355 T5 010	355	71	115394	545 T5 010	545	109	115527	780 T5 010	780	156
115135	215 T5 010	215	43	115268	365 T5 010	365	73	115401	550 T5 010	550	110	115534	800 T5 010	800	160
115142	220 T5 010	220	44	115275	375 T5 010	375	75	115408	560 T5 010	560	112	115541	815 T5 010	815	163
115149	225 T5 010	225	45	115282	390 T5 010	390	78	115415	575 T5 010	575	115	115548	840 T5 010	840	168
115156	245 T5 010	245	49	115289	400 T5 010	400	80	115422	590 T5 010	590	118	115555	850 T5 010	850	170
115163	250 T5 010	250	50	115296	410 T5 010	410	82	115429	600 T5 010	600	120	115562	900 T5 010	900	180
115170	255 T5 010	255	51	115303	420 T5 010	420	84	115436	610 T5 010	610	122	115569	940 T5 010	940	188
115177	260 T5 010	260	52	115310	425 T5 010	425	85	115443	620 T5 010	620	124	115576	990 T5 010	990	198
115184	270 T5 010	270	54	115317	430 T5 010	430	86	115450	625 T5 010	625	125	115583	1000 T5 010	1.000	200
115191	275 T5 010	275	55	115324	440 T5 010	440	88	115457	630 T5 010	630	126	115590	1075 T5 010	1.075	215
115198	280 T5 010	280	56	115331	445 T5 010	445	89	115464	640 T5 010	640	128	115597	1100 T5 010	1.100	220
115205	295 T5 010	295	59	115338	450 T5 010	450	90	115471	650 T5 010	650	130	115604	1140 T5 010	1.140	228
115212	300 T5 010	300	60	115345	455 T5 010	455	91	115478	660 T5 010	660	132	115611	1215 T5 010	1.215	243
115219	305 T5 010	305	61	115352	460 T5 010	460	92	115485	675 T5 010	675	135	115618	1315 T5 010	1.315	263
115226	320 T5 010	320	64	115359	475 T5 010	475	95	115492	690 T5 010	690	138	115625	1350 T5 010	1.350	270
115233	325 T5 010	325	65	115366	480 T5 010	480	96	115499	700 T5 010	700	140	115632	1380 T5 010	1.380	276
115240	330 T5 010	330	66	115373	500 T5 010	500	100	115506	720 T5 010	720	144	115639	1440 T5 010	1.440	288


# Zahnriemen PU Alpha Power

Profil T5

hs = 2,20 mm ht = 1,20 mm t = 5 mm

$\beta = 40^\circ$  s = 1,80 mm

Optibelt



Breite 12 mm

Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne
115115	165 T5 012	165	33	115248	340 T5 012	340	68	115381	510 T5 012	510	102	115514	725 T5 012	725	145
115122	185 T5 012	185	37	115255	350 T5 012	350	70	115388	525 T5 012	525	105	115521	750 T5 012	750	150
115129	200 T5 012	200	40	115262	355 T5 012	355	71	115395	545 T5 012	545	109	115528	780 T5 012	780	156
115136	215 T5 012	215	43	115269	365 T5 012	365	73	115402	550 T5 012	550	110	115535	800 T5 012	800	160
115143	220 T5 012	220	44	115276	375 T5 012	375	75	115409	560 T5 012	560	112	115542	815 T5 012	815	163
115150	225 T5 012	225	45	115283	390 T5 012	390	78	115416	575 T5 012	575	115	115549	840 T5 012	840	168
115157	245 T5 012	245	49	115290	400 T5 012	400	80	115423	590 T5 012	590	118	115556	850 T5 012	850	170
115164	250 T5 012	250	50	115297	410 T5 012	410	82	115430	600 T5 012	600	120	115563	900 T5 012	900	180
115171	255 T5 012	255	51	115304	420 T5 012	420	84	115437	610 T5 012	610	122	115570	940 T5 012	940	188
115178	260 T5 012	260	52	115311	425 T5 012	425	85	115444	620 T5 012	620	124	115577	990 T5 012	990	198
115185	270 T5 012	270	54	115318	430 T5 012	430	86	115451	625 T5 012	625	125	115584	1000 T5 012	1.000	200
115192	275 T5 012	275	55	115325	440 T5 012	440	88	115458	630 T5 012	630	126	115591	1075 T5 012	1.075	215
115199	280 T5 012	280	56	115332	445 T5 012	445	89	115465	640 T5 012	640	128	115598	1100 T5 012	1.100	220
115206	295 T5 012	295	59	115339	450 T5 012	450	90	115472	650 T5 012	650	130	115605	1140 T5 012	1.140	228
115213	300 T5 012	300	60	115346	455 T5 012	455	91	115479	660 T5 012	660	132	115612	1215 T5 012	1.215	243
115220	305 T5 012	305	61	115353	460 T5 012	460	92	115486	675 T5 012	675	135	115619	1315 T5 012	1.315	263
115227	320 T5 012	320	64	115360	475 T5 012	475	95	115493	690 T5 012	690	138	115626	1350 T5 012	1.350	270
115234	325 T5 012	325	65	115367	480 T5 012	480	96	115500	700 T5 012	700	140	115633	1380 T5 012	1.380	276
115241	330 T5 012	330	66	115374	500 T5 012	500	100	115507	720 T5 012	720	144	115640	1440 T5 012	1.440	288


# Zahnriemen PU Alpha Power

Profil T5

hs = 2,20 mm ht = 1,20 mm t = 5 mm

$\beta = 40^\circ$  s = 1,80 mm

Optibelt



Breite 16 mm

Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne
115116	165 T5 016	165	33	115249	340 T5 016	340	68	115382	510 T5 016	510	102	115515	725 T5 016	725	145
115123	185 T5 016	185	37	115256	350 T5 016	350	70	115389	525 T5 016	525	105	115522	750 T5 016	750	150
115130	200 T5 016	200	40	115263	355 T5 016	355	71	115396	545 T5 016	545	109	115529	780 T5 016	780	156
115137	215 T5 016	215	43	115270	365 T5 016	365	73	115403	550 T5 016	550	110	115536	800 T5 016	800	160
115144	220 T5 016	220	44	115277	375 T5 016	375	75	115410	560 T5 016	560	112	115543	815 T5 016	815	163
115151	225 T5 016	225	45	115284	390 T5 016	390	78	115417	575 T5 016	575	115	115550	840 T5 016	840	168
115158	245 T5 016	245	49	115291	400 T5 016	400	80	115424	590 T5 016	590	118	115557	850 T5 016	850	170
115165	250 T5 016	250	50	115298	410 T5 016	410	82	115431	600 T5 016	600	120	115564	900 T5 016	900	180
115172	255 T5 016	255	51	115305	420 T5 016	420	84	115438	610 T5 016	610	122	115571	940 T5 016	940	188
115179	260 T5 016	260	52	115312	425 T5 016	425	85	115445	620 T5 016	620	124	115578	990 T5 016	990	198
115186	270 T5 016	270	54	115319	430 T5 016	430	86	115452	625 T5 016	625	125	115585	1000 T5 016	1.000	200
115193	275 T5 016	275	55	115326	440 T5 016	440	88	115459	630 T5 016	630	126	115592	1075 T5 016	1.075	215
115200	280 T5 016	280	56	115333	445 T5 016	445	89	115466	640 T5 016	640	128	115599	1100 T5 016	1.100	220
115207	295 T5 016	295	59	115340	450 T5 016	450	90	115473	650 T5 016	650	130	115606	1140 T5 016	1.140	228
115214	300 T5 016	300	60	115347	455 T5 016	455	91	115480	660 T5 016	660	132	115613	1215 T5 016	1.215	243
115221	305 T5 016	305	61	115354	460 T5 016	460	92	115487	675 T5 016	675	135	115620	1315 T5 016	1.315	263
115228	320 T5 016	320	64	115361	475 T5 016	475	95	115494	690 T5 016	690	138	115627	1350 T5 016	1.350	270
115235	325 T5 016	325	65	115368	480 T5 016	480	96	115501	700 T5 016	700	140	115634	1380 T5 016	1.380	276
115242	330 T5 016	330	66	115375	500 T5 016	500	100	115508	720 T5 016	720	144	115641	1440 T5 016	1.440	288


# Zahnriemen PU Alpha Power

Profil T5

hs = 2,20 mm ht = 1,20 mm t = 5 mm

$\beta = 40^\circ$  s = 1,80 mm

Optibelt



Breite 20 mm

Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne
115117	165 T5 020	165	33	115250	340 T5 020	340	68	115383	510 T5 020	510	102	115516	725 T5 020	725	145
115124	185 T5 020	185	37	115257	350 T5 020	350	70	115390	525 T5 020	525	105	115523	750 T5 020	750	150
115131	200 T5 020	200	40	115264	355 T5 020	355	71	115397	545 T5 020	545	109	115530	780 T5 020	780	156
115138	215 T5 020	215	43	115271	365 T5 020	365	73	115404	550 T5 020	550	110	115537	800 T5 020	800	160
115145	220 T5 020	220	44	115278	375 T5 020	375	75	115411	560 T5 020	560	112	115544	815 T5 020	815	163
115152	225 T5 020	225	45	115285	390 T5 020	390	78	115418	575 T5 020	575	115	115551	840 T5 020	840	168
115159	245 T5 020	245	49	115292	400 T5 020	400	80	115425	590 T5 020	590	118	115558	850 T5 020	850	170
115166	250 T5 020	250	50	115299	410 T5 020	410	82	115432	600 T5 020	600	120	115565	900 T5 020	900	180
115173	255 T5 020	255	51	115306	420 T5 020	420	84	115439	610 T5 020	610	122	115572	940 T5 020	940	188
115180	260 T5 020	260	52	115313	425 T5 020	425	85	115446	620 T5 020	620	124	115579	990 T5 020	990	198
115187	270 T5 020	270	54	115320	430 T5 020	430	86	115453	625 T5 020	625	125	115586	1000 T5 020	1.000	200
115194	275 T5 020	275	55	115327	440 T5 020	440	88	115460	630 T5 020	630	126	115593	1075 T5 020	1.075	215
115201	280 T5 020	280	56	115334	445 T5 020	445	89	115467	640 T5 020	640	128	115600	1100 T5 020	1.100	220
115208	295 T5 020	295	59	115341	450 T5 020	450	90	115474	650 T5 020	650	130	115607	1140 T5 020	1.140	228
115215	300 T5 020	300	60	115348	455 T5 020	455	91	115481	660 T5 020	660	132	115614	1215 T5 020	1.215	243
115222	305 T5 020	305	61	115355	460 T5 020	460	92	115488	675 T5 020	675	135	115621	1315 T5 020	1.315	263
115229	320 T5 020	320	64	115362	475 T5 020	475	95	115495	690 T5 020	690	138	115628	1350 T5 020	1.350	270
115236	325 T5 020	325	65	115369	480 T5 020	480	96	115502	700 T5 020	700	140	115635	1380 T5 020	1.380	276
115243	330 T5 020	330	66	115376	500 T5 020	500	100	115509	720 T5 020	720	144	115642	1440 T5 020	1.440	288


# Zahnriemen PU Alpha Power

Profil T5

hs = 2,20 mm ht = 1,20 mm t = 5 mm

$\beta = 40^\circ$  s = 1,80 mm

Optibelt



Breite 25 mm

Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne	Nr.	Kurzbez.	Richtlänge L <sub>w</sub> /L <sub>d</sub> (mm)	Zähne
115118	165 T5 025	165	33	115251	340 T5 025	340	68	115384	510 T5 025	510	102	115517	725 T5 025	725	145
115125	185 T5 025	185	37	115258	350 T5 025	350	70	115391	525 T5 025	525	105	115524	750 T5 025	750	150
115132	200 T5 025	200	40	115265	355 T5 025	355	71	115398	545 T5 025	545	109	115531	780 T5 025	780	156
115139	215 T5 025	215	43	115272	365 T5 025	365	73	115405	550 T5 025	550	110	115538	800 T5 025	800	160
115146	220 T5 025	220	44	115279	375 T5 025	375	75	115412	560 T5 025	560	112	115545	815 T5 025	815	163
115153	225 T5 025	225	45	115286	390 T5 025	390	78	115419	575 T5 025	575	115	115552	840 T5 025	840	168
115160	245 T5 025	245	49	115293	400 T5 025	400	80	115426	590 T5 025	590	118	115559	850 T5 025	850	170
115167	250 T5 025	250	50	115300	410 T5 025	410	82	115433	600 T5 025	600	120	115566	900 T5 025	900	180
115174	255 T5 025	255	51	115307	420 T5 025	420	84	115440	610 T5 025	610	122	115573	940 T5 025	940	188
115181	260 T5 025	260	52	115314	425 T5 025	425	85	115447	620 T5 025	620	124	115580	990 T5 025	990	198
115188	270 T5 025	270	54	115321	430 T5 025	430	86	115454	625 T5 025	625	125	115587	1000 T5 025	1.000	200
115195	275 T5 025	275	55	115328	440 T5 025	440	88	115461	630 T5 025	630	126	115594	1075 T5 025	1.075	215
115202	280 T5 025	280	56	115335	445 T5 025	445	89	115468	640 T5 025	640	128	115601	1100 T5 025	1.100	220
115209	295 T5 025	295	59	115342	450 T5 025	450	90	115475	650 T5 025	650	130	115608	1140 T5 025	1.140	228
115216	300 T5 025	300	60	115349	455 T5 025	455	91	115482	660 T5 025	660	132	115615	1215 T5 025	1.215	243
115223	305 T5 025	305	61	115356	460 T5 025	460	92	115489	675 T5 025	675	135	115622	1315 T5 025	1.315	263
115230	320 T5 025	320	64	115363	475 T5 025	475	95	115496	690 T5 025	690	138	115629	1350 T5 025	1.350	270
115237	325 T5 025	325	65	115370	480 T5 025	480	96	115503	700 T5 025	700	140	115636	1380 T5 025	1.380	276
115244	330 T5 025	330	66	115377	500 T5 025	500	100	115510	720 T5 025	720	144	115643	1440 T5 025	1.440	288