


# Zahnriemenscheiben

ISO 5294 H 075

Teilung 1/2" (12,7 mm)

für Zahnriemenbreite 3/4" (19,05 mm)



| Nr.    | Kurzbez. | Zähne | Ausführung | Material* | d <sub>p</sub><br>(mm) | d <sub>e</sub><br>(mm) | D <sub>f</sub><br>(mm) | D <sub>m</sub><br>(mm) | F<br>(mm) | L<br>(mm) | d<br>(mm) | Bordscheiben<br>Nr. | Masse<br>(kg) |
|--------|----------|-------|------------|-----------|------------------------|------------------------|------------------------|------------------------|-----------|-----------|-----------|---------------------|---------------|
| 126654 | 14 H 075 | 14    | 2F         | ST        | 56,59                  | 55,22                  | 63,0                   | 40,0                   | 26,4      | 40,0      | 10        | 309                 | 0,580         |
| 126655 | 15 H 075 | 15    | 2F         | ST        | 60,64                  | 59,27                  | 66,0                   | 45,0                   | 26,4      | 40,0      | 10        | 310                 | 0,690         |
| 126656 | 16 H 075 | 16    | 2F         | ST        | 64,68                  | 63,31                  | 71,0                   | 45,0                   | 26,4      | 40,0      | 10        | 311                 | 0,770         |
| 126657 | 17 H 075 | 17    | 2F         | ST        | 68,72                  | 67,35                  | 75,0                   | 45,0                   | 26,4      | 40,0      | 12        | 312                 | 0,840         |
| 126658 | 18 H 075 | 18    | 2F         | ST        | 72,77                  | 71,39                  | 79,0                   | 55,0                   | 26,4      | 40,0      | 12        | 313                 | 1,010         |
| 126659 | 19 H 075 | 19    | 2F         | ST        | 76,81                  | 75,44                  | 83,0                   | 60,0                   | 26,4      | 40,0      | 12        | 314                 | 1,150         |
| 126660 | 20 H 075 | 20    | 2F         | ST        | 80,85                  | 79,48                  | 87,0                   | 62,0                   | 26,4      | 40,0      | 12        | 315                 | 1,270         |
| 126661 | 21 H 075 | 21    | 2F         | ST        | 84,89                  | 83,52                  | 91,0                   | 65,0                   | 26,4      | 40,0      | 12        | 316                 | 1,410         |
| 126662 | 22 H 075 | 22    | 2F         | ST        | 88,94                  | 87,56                  | 93,0                   | 68,0                   | 26,4      | 40,0      | 12        | 317                 | 1,550         |
| 126663 | 23 H 075 | 23    | 2F         | ST        | 92,98                  | 91,61                  | 97,0                   | 72,0                   | 26,4      | 40,0      | 12        | 318                 | 1,710         |
| 126664 | 24 H 075 | 24    | 2F         | ST        | 97,03                  | 95,65                  | 103,0                  | 72,0                   | 26,4      | 40,0      | 12        | 320                 | 1,830         |
| 126665 | 25 H 075 | 25    | 2F         | ST        | 101,06                 | 99,69                  | 106,0                  | 72,0                   | 26,4      | 40,0      | 12        | 321                 | 1,960         |
| 126666 | 26 H 075 | 26    | 2F         | ST        | 105,11                 | 103,73                 | 111,0                  | 80,0                   | 26,4      | 40,0      | 12        | 322                 | 2,190         |
| 126667 | 27 H 075 | 27    | 2F         | ST        | 109,15                 | 107,78                 | 115,0                  | 80,0                   | 26,4      | 40,0      | 12        | 323                 | 2,320         |
| 126668 | 28 H 075 | 28    | 2F         | ST        | 113,19                 | 111,82                 | 119,0                  | 80,0                   | 26,4      | 40,0      | 12        | 325                 | 2,470         |
| 126669 | 30 H 075 | 30    | 2F         | ST        | 121,29                 | 119,90                 | 127,0                  | 80,0                   | 26,4      | 40,0      | 14        | 327                 | 2,760         |


\* ST = Stahl / GG = Grauguss

# Zahnriemenscheiben

ISO 5294 H 075

Teilung 1/2" (12,7 mm)

für Zahnriemenbreite 3/4" (19,05 mm)



| Nr.    | Kurzbez. | Zähne | Ausführung | Material* | d <sub>p</sub><br>(mm) | d <sub>e</sub><br>(mm) | D <sub>f</sub><br>(mm) | D <sub>m</sub><br>(mm) | F<br>(mm) | L<br>(mm) | d<br>(mm) | Bordscheiben<br>Nr. | Masse<br>(kg) |
|--------|----------|-------|------------|-----------|------------------------|------------------------|------------------------|------------------------|-----------|-----------|-----------|---------------------|---------------|
| 126670 | 32 H 075 | 32    | 2F         | ST        | 129,36                 | 127,99                 | 135,0                  | 80,0                   | 26,4      | 40,0      | 14        | 328                 | 3,080         |
| 126671 | 33 H 075 | 33    | 2F         | ST        | 133,40                 | 132,03                 | 140,0                  | 80,0                   | 26,4      | 40,0      | 14        | 330                 | 3,250         |
| 126672 | 34 H 075 | 34    | 2F         | ST        | 137,45                 | 136,07                 | 143,0                  | 80,0                   | 26,4      | 40,0      | 14        | 331                 | 3,420         |
| 126673 | 35 H 075 | 35    | 2F         | ST        | 141,49                 | 140,12                 | 148,0                  | 80,0                   | 26,4      | 40,0      | 14        | 333                 | 3,610         |
| 126674 | 36 H 075 | 36    | 2F         | ST        | 145,53                 | 144,16                 | 152,0                  | 80,0                   | 26,4      | 40,0      | 14        | 334                 | 3,790         |
| 126675 | 38 H 075 | 38    | 2F         | ST        | 153,62                 | 152,24                 | 158,0                  | 80,0                   | 26,4      | 40,0      | 14        | 335                 | 4,160         |
| 126676 | 40 H 075 | 40    | 2F         | ST        | 161,70                 | 160,33                 | 168,0                  | 80,0                   | 26,4      | 40,0      | 14        | 338                 | 4,580         |
| 126677 | 44 H 075 | 44    | 4F         | GG        | 177,87                 | 176,50                 | 184,0                  | 80,0                   | 26,4      | 40,0      | 18        | 339                 | 2,570         |
| 126678 | 48 H 075 | 48    | 4F         | GG        | 194,04                 | 192,67                 | 200,0                  | 90,0                   | 26,4      | 45,0      | 18        | 342                 | 3,560         |
| 126679 | 50 H 075 | 50    | 4          | GG        | 202,13                 | 200,75                 |                        | 90,0                   | 26,4      | 45,0      | 18        |                     | 3,740         |


\* ST = Stahl / GG = Grauguss

# Zahnriemenscheiben

ISO 5294 H 100

Teilung 1/2" (12,7 mm)

für Zahnriemenbreite 1" (25,4 mm)



| Nr.    | Kurzbez. | Zähne | Ausführung | Material* | d <sub>p</sub><br>(mm) | d <sub>e</sub><br>(mm) | D <sub>f</sub><br>(mm) | D <sub>m</sub><br>(mm) | F<br>(mm) | L<br>(mm) | d<br>(mm) | Bordscheiben<br>Nr. | Masse<br>(kg) |
|--------|----------|-------|------------|-----------|------------------------|------------------------|------------------------|------------------------|-----------|-----------|-----------|---------------------|---------------|
| 126680 | 14 H 100 | 14    | 2F         | ST        | 56,59                  | 55,22                  | 63,0                   | 40,0                   | 31,8      | 45,0      | 12        | 309                 | 0,650         |
| 126681 | 15 H 100 | 15    | 2F         | ST        | 60,64                  | 59,27                  | 66,0                   | 45,0                   | 31,8      | 45,0      | 12        | 310                 | 0,770         |
| 126682 | 16 H 100 | 16    | 2F         | ST        | 64,68                  | 63,31                  | 71,0                   | 45,0                   | 31,8      | 45,0      | 12        | 311                 | 0,870         |
| 126683 | 17 H 100 | 17    | 2F         | ST        | 68,72                  | 67,35                  | 75,0                   | 45,0                   | 31,8      | 45,0      | 12        | 312                 | 0,970         |
| 126684 | 18 H 100 | 18    | 2F         | ST        | 72,77                  | 71,39                  | 79,0                   | 55,0                   | 31,8      | 45,0      | 12        | 313                 | 1,160         |
| 126685 | 19 H 100 | 19    | 2F         | ST        | 76,81                  | 75,44                  | 83,0                   | 60,0                   | 31,8      | 45,0      | 14        | 314                 | 1,300         |
| 126686 | 20 H 100 | 20    | 2F         | ST        | 80,85                  | 79,48                  | 87,0                   | 62,0                   | 31,8      | 45,0      | 14        | 315                 | 1,440         |
| 126687 | 21 H 100 | 21    | 2F         | ST        | 84,89                  | 83,52                  | 91,0                   | 65,0                   | 31,8      | 45,0      | 14        | 316                 | 1,600         |
| 126688 | 22 H 100 | 22    | 2F         | ST        | 88,94                  | 87,56                  | 93,0                   | 68,0                   | 31,8      | 45,0      | 14        | 317                 | 1,760         |
| 126689 | 23 H 100 | 23    | 2F         | ST        | 92,98                  | 91,61                  | 97,0                   | 72,0                   | 31,8      | 45,0      | 14        | 318                 | 1,940         |
| 126690 | 24 H 100 | 24    | 2F         | ST        | 97,03                  | 95,65                  | 103,0                  | 72,0                   | 31,8      | 45,0      | 14        | 320                 | 2,090         |
| 126691 | 25 H 100 | 25    | 2F         | ST        | 101,06                 | 99,69                  | 106,0                  | 72,0                   | 31,8      | 45,0      | 14        | 321                 | 2,240         |
| 126692 | 26 H 100 | 26    | 2F         | ST        | 105,11                 | 103,73                 | 111,0                  | 80,0                   | 31,8      | 45,0      | 14        | 322                 | 2,490         |
| 126693 | 27 H 100 | 27    | 2F         | ST        | 109,15                 | 107,78                 | 115,0                  | 80,0                   | 31,8      | 45,0      | 14        | 323                 | 2,660         |
| 126694 | 28 H 100 | 28    | 2F         | ST        | 113,19                 | 111,82                 | 119,0                  | 80,0                   | 31,8      | 45,0      | 14        | 325                 | 2,830         |
| 126695 | 29 H 100 | 29    | 2F         | ST        | 117,23                 | 115,86                 | 123,0                  | 80,0                   | 31,8      | 45,0      | 14        | 326                 | 3,010         |


\* ST = Stahl / GG = Grauguss

# Zahnriemenscheiben

ISO 5294 H 100

Teilung 1/2" (12,7 mm)

für Zahnriemenbreite 1" (25,4 mm)



| Nr.    | Kurzbez. | Zähne | Ausführung | Material* | d <sub>p</sub><br>(mm) | d <sub>e</sub><br>(mm) | D <sub>f</sub><br>(mm) | D <sub>m</sub><br>(mm) | F<br>(mm) | L<br>(mm) | d<br>(mm) | Bordscheiben<br>Nr. | Masse<br>(kg) |
|--------|----------|-------|------------|-----------|------------------------|------------------------|------------------------|------------------------|-----------|-----------|-----------|---------------------|---------------|
| 126696 | 30 H 100 | 30    | 2F         | ST        | 121,29                 | 119,90                 | 127,0                  | 80,0                   | 31,8      | 45,0      | 14        | 327                 | 3,190         |
| 126697 | 32 H 100 | 32    | 2F         | ST        | 129,36                 | 127,99                 | 135,0                  | 80,0                   | 31,8      | 45,0      | 14        | 328                 | 3,570         |
| 126698 | 33 H 100 | 33    | 2F         | ST        | 133,40                 | 132,03                 | 140,0                  | 80,0                   | 31,8      | 45,0      | 14        | 330                 | 3,790         |
| 126699 | 34 H 100 | 34    | 2F         | ST        | 137,45                 | 136,07                 | 143,0                  | 80,0                   | 31,8      | 45,0      | 14        | 331                 | 3,990         |
| 126700 | 35 H 100 | 35    | 2F         | ST        | 141,49                 | 140,12                 | 148,0                  | 80,0                   | 31,8      | 45,0      | 14        | 333                 | 4,200         |
| 126701 | 36 H 100 | 36    | 2F         | ST        | 145,53                 | 144,16                 | 152,0                  | 80,0                   | 31,8      | 45,0      | 14        | 334                 | 4,440         |
| 126702 | 38 H 100 | 38    | 2F         | ST        | 153,62                 | 152,24                 | 158,0                  | 80,0                   | 31,8      | 45,0      | 14        | 335                 | 4,900         |
| 126703 | 40 H 100 | 40    | 2F         | ST        | 161,70                 | 160,33                 | 168,0                  | 80,0                   | 31,8      | 45,0      | 14        | 338                 | 5,390         |
| 126704 | 44 H 100 | 44    | 4F         | GG        | 177,87                 | 176,50                 | 184,0                  | 80,0                   | 31,8      | 50,0      | 18        | 339                 | 3,370         |
| 126705 | 45 H 100 | 45    | 4F         | GG        | 181,91                 | 180,54                 | 192,0                  | 80,0                   | 31,8      | 50,0      | 18        | 340                 | 3,570         |
| 126706 | 48 H 100 | 48    | 4F         | GG        | 194,04                 | 192,67                 | 200,0                  | 90,0                   | 31,8      | 50,0      | 18        | 342                 | 4,100         |
| 126707 | 50 H 100 | 50    | 4          | GG        | 202,13                 | 200,75                 |                        | 90,0                   | 31,8      | 50,0      | 18        |                     | 4,240         |
| 126708 | 52 H 100 | 52    | 4          | GG        | 210,21                 | 208,84                 |                        | 90,0                   | 31,8      | 50,0      | 18        |                     | 4,320         |
| 126709 | 58 H 100 | 58    | 4          | GG        | 234,47                 | 233,09                 |                        | 90,0                   | 31,8      | 50,0      | 18        |                     | 4,610         |
| 126710 | 60 H 100 | 60    | 4          | GG        | 242,55                 | 241,18                 |                        | 100,0                  | 31,8      | 50,0      | 18        |                     | 5,300         |
| 126711 | 70 H 100 | 70    | 4          | GG        | 282,98                 | 281,61                 |                        | 100,0                  | 31,8      | 55,0      | 18        |                     | 6,130         |
| 126712 | 72 H 100 | 72    | 4          | GG        | 291,06                 | 289,69                 |                        | 120,0                  | 31,8      | 55,0      | 18        |                     | 7,470         |
| 126713 | 84 H 100 | 84    | 4          | GG        | 339,57                 | 338,20                 |                        | 120,0                  | 31,8      | 55,0      | 18        |                     | 8,520         |




\* ST = Stahl / GG = Grauguss

## Zahnriemenscheiben

ISO 5294 H 100

Teilung 1/2" (12,7 mm)

für Zahnriemenbreite 1" (25,4 mm)



| Nr.    | Kurzbez.  | Zähne | Ausführung | Material* | $d_p$<br>(mm) | $d_e$<br>(mm) | $D_f$<br>(mm) | $D_m$<br>(mm) | F<br>(mm) | L<br>(mm) | d<br>(mm) | Bordscheiben<br>Nr. | Masse<br>(kg) |
|--------|-----------|-------|------------|-----------|---------------|---------------|---------------|---------------|-----------|-----------|-----------|---------------------|---------------|
| 126714 | 96 H 100  | 96    | 4          | GG        | 388,08        | 386,71        |               | 120,0         | 31,8      | 60,0      | 18        |                     | 10,250        |
| 126715 | 120 H 100 | 120   | 4          | GG        | 485,10        | 483,73        |               | 120,0         | 31,8      | 60,0      | 18        |                     | 13,090        |


\* ST = Stahl / GG = Grauguss

# Zahnriemenscheiben

ISO 5294 H 150

Teilung 1/2" (12,7 mm)

für Zahnriemenbreite 1 1/2" (38,1 mm)



| Nr.    | Kurzbez. | Zähne | Ausführung | Material* | d <sub>p</sub><br>(mm) | d <sub>e</sub><br>(mm) | D <sub>f</sub><br>(mm) | D <sub>m</sub><br>(mm) | F<br>(mm) | L<br>(mm) | d<br>(mm) | Bordscheiben<br>Nr. | Masse<br>(kg) |
|--------|----------|-------|------------|-----------|------------------------|------------------------|------------------------|------------------------|-----------|-----------|-----------|---------------------|---------------|
| 126716 | 14 H 150 | 2F    | ST         | 14        | 56,59                  | 55,22                  | 63,0                   | 40,0                   | 46,0      | 58,0      | 18        | 309                 | 0,810         |
| 126717 | 15 H 150 | 2F    | ST         | 15        | 60,64                  | 59,27                  | 66,0                   | 45,0                   | 46,0      | 58,0      | 18        | 310                 | 0,970         |
| 126718 | 16 H 150 | 2F    | ST         | 16        | 64,68                  | 63,31                  | 71,0                   | 45,0                   | 46,0      | 58,0      | 18        | 311                 | 1,110         |
| 126719 | 17 H 150 | 2F    | ST         | 17        | 68,72                  | 67,35                  | 75,0                   | 45,0                   | 46,0      | 58,0      | 18        | 312                 | 1,250         |
| 126720 | 18 H 150 | 2F    | ST         | 18        | 72,77                  | 71,39                  | 79,0                   | 55,0                   | 46,0      | 58,0      | 18        | 313                 | 1,480         |
| 126721 | 19 H 150 | 2F    | ST         | 19        | 76,81                  | 75,44                  | 83,0                   | 60,0                   | 46,0      | 58,0      | 18        | 314                 | 1,680         |
| 126722 | 20 H 150 | 2F    | ST         | 20        | 80,85                  | 79,48                  | 87,0                   | 62,0                   | 46,0      | 58,0      | 18        | 315                 | 1,880         |
| 126723 | 21 H 150 | 2F    | ST         | 21        | 84,89                  | 83,52                  | 91,0                   | 65,0                   | 46,0      | 58,0      | 18        | 316                 | 2,080         |
| 126724 | 22 H 150 | 2F    | ST         | 22        | 88,94                  | 87,56                  | 93,0                   | 68,0                   | 46,0      | 58,0      | 18        | 317                 | 2,300         |
| 126725 | 23 H 150 | 2F    | ST         | 23        | 92,98                  | 91,61                  | 97,0                   | 72,0                   | 46,0      | 58,0      | 18        | 318                 | 2,540         |
| 126726 | 24 H 150 | 2F    | ST         | 24        | 97,03                  | 95,65                  | 103,0                  | 72,0                   | 46,0      | 58,0      | 18        | 320                 | 2,750         |
| 126727 | 25 H 150 | 2F    | ST         | 25        | 101,06                 | 99,69                  | 106,0                  | 72,0                   | 46,0      | 58,0      | 18        | 321                 | 2,970         |
| 126728 | 26 H 150 | 2F    | ST         | 26        | 105,11                 | 103,73                 | 111,0                  | 80,0                   | 46,0      | 58,0      | 18        | 322                 | 3,290         |
| 126729 | 27 H 150 | 2F    | ST         | 27        | 109,15                 | 107,78                 | 115,0                  | 80,0                   | 46,0      | 58,0      | 18        | 323                 | 3,520         |
| 126730 | 28 H 150 | 2F    | ST         | 28        | 113,19                 | 111,82                 | 119,0                  | 80,0                   | 46,0      | 58,0      | 18        | 325                 | 3,780         |
| 126731 | 29 H 150 | 2F    | ST         | 29        | 117,23                 | 115,86                 | 123,0                  | 80,0                   | 46,0      | 58,0      | 18        | 326                 | 4,030         |


\* ST = Stahl / GG = Grauguss

# Zahnriemenscheiben

ISO 5294 H 150

Teilung 1/2" (12,7 mm)

für Zahnriemenbreite 1 1/2" (38,1 mm)



| Nr.    | Kurzbez. | Zähne | Ausführung | Material* | d <sub>p</sub><br>(mm) | d <sub>e</sub><br>(mm) | D <sub>f</sub><br>(mm) | D <sub>m</sub><br>(mm) | F<br>(mm) | L<br>(mm) | d<br>(mm) | Bordscheiben<br>Nr. | Masse<br>(kg) |
|--------|----------|-------|------------|-----------|------------------------|------------------------|------------------------|------------------------|-----------|-----------|-----------|---------------------|---------------|
| 126732 | 30 H 150 | 2F    | ST         | 30        | 121,29                 | 119,90                 | 127,0                  | 80,0                   | 46,0      | 58,0      | 18        | 327                 | 4,290         |
| 126733 | 32 H 150 | 2F    | ST         | 32        | 129,36                 | 127,99                 | 135,0                  | 80,0                   | 46,0      | 58,0      | 18        | 328                 | 4,860         |
| 126734 | 33 H 150 | 2F    | ST         | 33        | 133,40                 | 132,03                 | 140,0                  | 80,0                   | 46,0      | 58,0      | 18        | 330                 | 5,150         |
| 126735 | 34 H 150 | 2F    | ST         | 34        | 137,45                 | 136,07                 | 143,0                  | 80,0                   | 46,0      | 58,0      | 18        | 331                 | 5,460         |
| 126736 | 35 H 150 | 2F    | ST         | 35        | 141,49                 | 140,12                 | 148,0                  | 80,0                   | 46,0      | 58,0      | 18        | 333                 | 5,780         |
| 126737 | 36 H 150 | 2F    | ST         | 36        | 145,53                 | 144,16                 | 152,0                  | 80,0                   | 46,0      | 58,0      | 18        | 334                 | 6,090         |
| 126738 | 38 H 150 | 2F    | ST         | 38        | 153,62                 | 152,24                 | 158,0                  | 80,0                   | 46,0      | 58,0      | 18        | 335                 | 6,740         |
| 126739 | 40 H 150 | 2F    | ST         | 40        | 161,70                 | 160,33                 | 168,0                  | 80,0                   | 46,0      | 58,0      | 18        | 338                 | 7,460         |
| 126740 | 44 H 150 | 4F    | GG         | 44        | 177,87                 | 176,50                 | 184,0                  | 80,0                   | 46,0      | 58,0      | 18        | 339                 | 4,290         |
| 126741 | 45 H 150 | 4F    | GG         | 45        | 181,91                 | 180,54                 | 192,0                  | 80,0                   | 46,0      | 58,0      | 18        | 340                 | 4,440         |
| 126742 | 48 H 150 | 4F    | GG         | 48        | 194,04                 | 192,67                 | 200,0                  | 90,0                   | 46,0      | 65,0      | 18        | 342                 | 5,410         |
| 126743 | 50 H 150 | 4     | GG         | 50        | 202,13                 | 200,75                 |                        | 90,0                   | 46,0      | 65,0      | 18        |                     | 5,590         |
| 126744 | 52 H 150 | 4     | GG         | 52        | 210,21                 | 208,84                 |                        | 90,0                   | 46,0      | 65,0      | 18        |                     | 5,790         |
| 126745 | 58 H 150 | 4     | GG         | 58        | 234,47                 | 233,09                 |                        | 90,0                   | 46,0      | 65,0      | 18        |                     | 6,150         |
| 126746 | 60 H 150 | 4     | GG         | 60        | 242,55                 | 241,18                 |                        | 100,0                  | 46,0      | 65,0      | 18        |                     | 7,080         |
| 126747 | 70 H 150 | 4     | GG         | 70        | 282,98                 | 281,61                 |                        | 100,0                  | 46,0      | 65,0      | 24        |                     | 7,770         |
| 126748 | 72 H 150 | 4     | GG         | 72        | 291,06                 | 289,69                 |                        | 120,0                  | 46,0      | 65,0      | 24        |                     | 9,700         |
| 126749 | 84 H 150 | 4     | GG         | 84        | 339,57                 | 338,20                 |                        | 120,0                  | 46,0      | 65,0      | 24        |                     | 10,990        |


\* ST = Stahl / GG = Grauguss

## Zahnriemenscheiben

ISO 5294 H 150

Teilung 1/2" (12,7 mm)

für Zahnriemenbreite 1 1/2" (38,1 mm)



| Nr.    | Kurzbez.  | Zähne | Ausführung | Material* | $d_p$<br>(mm) | $d_e$<br>(mm) | $D_f$<br>(mm) | $D_m$<br>(mm) | F<br>(mm) | L<br>(mm) | d<br>(mm) | Bordscheiben<br>Nr. | Masse<br>(kg) |
|--------|-----------|-------|------------|-----------|---------------|---------------|---------------|---------------|-----------|-----------|-----------|---------------------|---------------|
| 126750 | 96 H 150  | 4     | GG         | 96        | 388,08        | 386,71        |               | 120,0         | 46,0      | 65,0      | 24        |                     | 12,240        |
| 126751 | 120 H 150 | 4     | GG         | 120       | 485,10        | 483,73        |               | 120,0         | 46,0      | 65,0      | 24        |                     | 16,170        |

\* ST = Stahl / GG = Grauguss




# Zahnriemenscheiben

ISO 5294 H 200

Teilung 1/2" (12,7 mm)

für Zahnriemenbreite 2" (50,8 mm)



| Nr.    | Kurzbez. | Zähne | Ausführung | Material* | d <sub>p</sub><br>(mm) | d <sub>e</sub><br>(mm) | D <sub>f</sub><br>(mm) | D <sub>m</sub><br>(mm) | F<br>(mm) | L<br>(mm) | d<br>(mm) | Bordscheiben<br>Nr. | Masse<br>(kg) |
|--------|----------|-------|------------|-----------|------------------------|------------------------|------------------------|------------------------|-----------|-----------|-----------|---------------------|---------------|
| 126752 | 14 H 200 | 2F    | ST         | 14        | 56,59                  | 55,22                  | 63,0                   | 40,0                   | 58,7      | 70,0      | 18        | 309                 | 1,100         |
| 126753 | 15 H 200 | 2F    | ST         | 15        | 60,64                  | 59,27                  | 66,0                   | 45,0                   | 58,7      | 70,0      | 18        | 310                 | 1,330         |
| 126754 | 16 H 200 | 2F    | ST         | 16        | 64,68                  | 63,31                  | 71,0                   | 45,0                   | 58,7      | 70,0      | 18        | 311                 | 1,540         |
| 126755 | 17 H 200 | 2F    | ST         | 17        | 68,72                  | 67,35                  | 75,0                   | 45,0                   | 58,7      | 70,0      | 18        | 312                 | 1,690         |
| 126756 | 18 H 200 | 2F    | ST         | 18        | 72,77                  | 71,39                  | 79,0                   | 55,0                   | 58,7      | 70,0      | 18        | 313                 | 1,950         |
| 126757 | 19 H 200 | 2F    | ST         | 19        | 76,81                  | 75,44                  | 83,0                   | 60,0                   | 58,7      | 70,0      | 18        | 314                 | 2,200         |
| 126758 | 20 H 200 | 2F    | ST         | 20        | 80,85                  | 79,48                  | 87,0                   | 62,0                   | 58,7      | 70,0      | 18        | 315                 | 2,440         |
| 126759 | 21 H 200 | 2F    | ST         | 21        | 84,89                  | 83,52                  | 91,0                   | 65,0                   | 58,7      | 70,0      | 18        | 316                 | 2,700         |
| 126760 | 22 H 200 | 2F    | ST         | 22        | 88,94                  | 87,56                  | 93,0                   | 68,0                   | 58,7      | 70,0      | 18        | 317                 | 2,970         |
| 126761 | 23 H 200 | 2F    | ST         | 23        | 92,98                  | 91,61                  | 97,0                   | 72,0                   | 58,7      | 70,0      | 18        | 318                 | 3,250         |
| 126762 | 24 H 200 | 2F    | ST         | 24        | 97,03                  | 95,65                  | 103,0                  | 72,0                   | 58,7      | 70,0      | 18        | 320                 | 3,560         |
| 126763 | 25 H 200 | 2F    | ST         | 25        | 101,06                 | 99,69                  | 106,0                  | 72,0                   | 58,7      | 70,0      | 18        | 321                 | 3,810         |
| 126764 | 26 H 200 | 2F    | ST         | 26        | 105,11                 | 103,73                 | 111,0                  | 80,0                   | 58,7      | 70,0      | 18        | 322                 | 4,180         |
| 126765 | 27 H 200 | 2F    | ST         | 27        | 109,15                 | 107,78                 | 115,0                  | 80,0                   | 58,7      | 70,0      | 18        | 323                 | 4,490         |
| 126766 | 28 H 200 | 2F    | ST         | 28        | 113,19                 | 111,82                 | 119,0                  | 80,0                   | 58,7      | 70,0      | 18        | 325                 | 4,810         |
| 126767 | 29 H 200 | 2F    | ST         | 29        | 117,23                 | 115,86                 | 123,0                  | 80,0                   | 58,7      | 70,0      | 18        | 326                 | 5,140         |


\* ST = Stahl / GG = Grauguss

# Zahnriemenscheiben

ISO 5294 H 200

Teilung 1/2" (12,7 mm)

für Zahnriemenbreite 2" (50,8 mm)



| Nr.    | Kurzbez. | Zähne | Ausführung | Material* | d <sub>p</sub><br>(mm) | d <sub>e</sub><br>(mm) | D <sub>f</sub><br>(mm) | D <sub>m</sub><br>(mm) | F<br>(mm) | L<br>(mm) | d<br>(mm) | Bordscheiben<br>Nr. | Masse<br>(kg) |
|--------|----------|-------|------------|-----------|------------------------|------------------------|------------------------|------------------------|-----------|-----------|-----------|---------------------|---------------|
| 126768 | 30 H 200 | 2F    | ST         | 30        | 121,29                 | 119,90                 | 127,0                  | 80,0                   | 58,7      | 70,0      | 18        | 327                 | 5,470         |
| 126769 | 32 H 200 | 2F    | ST         | 32        | 129,36                 | 127,99                 | 135,0                  | 80,0                   | 58,7      | 70,0      | 18        | 328                 | 6,170         |
| 126770 | 33 H 200 | 2F    | ST         | 33        | 133,40                 | 132,03                 | 140,0                  | 80,0                   | 58,7      | 70,0      | 18        | 330                 | 6,560         |
| 126771 | 34 H 200 | 2F    | ST         | 34        | 137,45                 | 136,07                 | 143,0                  | 80,0                   | 58,7      | 70,0      | 18        | 331                 | 6,940         |
| 126772 | 35 H 200 | 2F    | ST         | 35        | 141,49                 | 140,12                 | 148,0                  | 80,0                   | 58,7      | 70,0      | 18        | 333                 | 7,340         |
| 126773 | 36 H 200 | 2F    | ST         | 36        | 145,53                 | 144,16                 | 152,0                  | 80,0                   | 58,7      | 70,0      | 18        | 334                 | 7,750         |
| 126774 | 38 H 200 | 2F    | ST         | 38        | 153,62                 | 152,24                 | 158,0                  | 80,0                   | 58,7      | 70,0      | 18        | 335                 | 8,620         |
| 126775 | 40 H 200 | 2F    | ST         | 40        | 161,70                 | 160,33                 | 168,0                  | 80,0                   | 58,7      | 70,0      | 18        | 338                 | 9,500         |
| 126776 | 44 H 200 | 4F    | GG         | 44        | 177,87                 | 176,50                 | 184,0                  | 80,0                   | 58,7      | 70,0      | 18        | 339                 | 5,140         |
| 126777 | 45 H 200 | 4F    | GG         | 45        | 181,91                 | 180,54                 | 192,0                  | 80,0                   | 58,7      | 70,0      | 18        | 340                 | 5,380         |
| 126778 | 48 H 200 | 4F    | GG         | 48        | 194,04                 | 192,67                 | 200,0                  | 90,0                   | 58,7      | 75,0      | 24        | 342                 | 6,290         |
| 126779 | 50 H 200 | 4     | GG         | 50        | 202,13                 | 200,75                 |                        | 90,0                   | 58,7      | 75,0      | 24        |                     | 6,680         |
| 126780 | 52 H 200 | 4     | GG         | 52        | 210,21                 | 208,84                 |                        | 90,0                   | 58,7      | 75,0      | 24        |                     | 6,810         |
| 126781 | 58 H 200 | 4     | GG         | 58        | 234,47                 | 233,09                 |                        | 90,0                   | 58,7      | 75,0      | 24        |                     | 7,260         |
| 126782 | 60 H 200 | 4     | GG         | 60        | 242,55                 | 241,18                 |                        | 100,0                  | 58,7      | 75,0      | 24        |                     | 8,250         |
| 126783 | 70 H 200 | 4     | GG         | 70        | 282,98                 | 281,61                 |                        | 100,0                  | 58,7      | 75,0      | 28        |                     | 9,200         |
| 126784 | 72 H 200 | 4     | GG         | 72        | 291,06                 | 289,69                 |                        | 120,0                  | 58,7      | 75,0      | 28        |                     | 11,090        |
| 126785 | 84 H 200 | 4     | GG         | 84        | 339,57                 | 338,20                 |                        | 120,0                  | 58,7      | 75,0      | 28        |                     | 12,630        |


\* ST = Stahl / GG = Grauguss

## Zahnriemenscheiben

ISO 5294 H 200

Teilung 1/2" (12,7 mm)

für Zahnriemenbreite 2" (50,8 mm)



| Nr.    | Kurzbez.  | Zähne | Ausführung | Material* | $d_p$<br>(mm) | $d_e$<br>(mm) | $D_f$<br>(mm) | $D_m$<br>(mm) | F<br>(mm) | L<br>(mm) | d<br>(mm) | Bordscheiben<br>Nr. | Masse<br>(kg) |
|--------|-----------|-------|------------|-----------|---------------|---------------|---------------|---------------|-----------|-----------|-----------|---------------------|---------------|
| 126786 | 96 H 200  | 4     | GG         | 96        | 388,08        | 386,71        |               | 120,0         | 58,7      | 75,0      | 28        |                     | 14,510        |
| 126787 | 120 H 200 | 4     | GG         | 120       | 485,10        | 483,73        |               | 120,0         | 58,7      | 75,0      | 28        |                     | 19,150        |


\* ST = Stahl / GG = Grauguss

# Zahnriemenscheiben

ISO 5294 H 300

Teilung 1/2" (12,7 mm)

für Zahnriemenbreite 3" (76,2 mm)



| Nr.    | Kurzbez. | Zähne | Ausführung | Material* | d <sub>p</sub><br>(mm) | d <sub>e</sub><br>(mm) | D <sub>f</sub><br>(mm) | D <sub>m</sub><br>(mm) | F<br>(mm) | L<br>(mm) | d<br>(mm) | Bordscheiben<br>Nr. | Masse<br>(kg) |
|--------|----------|-------|------------|-----------|------------------------|------------------------|------------------------|------------------------|-----------|-----------|-----------|---------------------|---------------|
| 126788 | 14 H 300 | 2F    | ST         | 14        | 56,59                  | 55,22                  | 63,0                   | 40,0                   | 85,7      | 100,0     | 18        | 309                 | 1,640         |
| 126789 | 15 H 300 | 2F    | ST         | 15        | 60,64                  | 59,27                  | 66,0                   | 45,0                   | 85,7      | 100,0     | 18        | 310                 | 1,910         |
| 126790 | 16 H 300 | 2F    | ST         | 16        | 64,68                  | 63,31                  | 71,0                   | 45,0                   | 85,7      | 100,0     | 18        | 311                 | 2,160         |
| 126791 | 17 H 300 | 2F    | ST         | 17        | 68,72                  | 67,35                  | 75,0                   | 45,0                   | 85,7      | 100,0     | 18        | 312                 | 2,430         |
| 126792 | 18 H 300 | 2F    | ST         | 18        | 72,77                  | 71,39                  | 79,0                   | 55,0                   | 85,7      | 100,0     | 18        | 313                 | 2,800         |
| 126793 | 19 H 300 | 2F    | ST         | 19        | 76,81                  | 75,44                  | 83,0                   | 60,0                   | 85,7      | 100,0     | 18        | 314                 | 3,160         |
| 126794 | 20 H 300 | 2F    | ST         | 20        | 80,85                  | 79,48                  | 87,0                   | 62,0                   | 85,7      | 100,0     | 18        | 315                 | 3,500         |
| 126795 | 21 H 300 | 2F    | ST         | 21        | 84,89                  | 83,52                  | 91,0                   | 65,0                   | 85,7      | 100,0     | 18        | 316                 | 3,870         |
| 126796 | 22 H 300 | 2F    | ST         | 22        | 88,94                  | 87,56                  | 93,0                   | 68,0                   | 85,7      | 100,0     | 18        | 317                 | 4,260         |
| 126797 | 23 H 300 | 2F    | ST         | 23        | 92,98                  | 91,61                  | 97,0                   | 72,0                   | 85,7      | 100,0     | 18        | 318                 | 4,680         |
| 126798 | 24 H 300 | 2F    | ST         | 24        | 97,03                  | 95,65                  | 103,0                  | 72,0                   | 85,7      | 100,0     | 18        | 320                 | 5,080         |
| 126799 | 25 H 300 | 2F    | ST         | 25        | 101,06                 | 99,69                  | 106,0                  | 72,0                   | 85,7      | 100,0     | 18        | 321                 | 5,450         |
| 126800 | 26 H 300 | 2F    | ST         | 26        | 105,11                 | 103,73                 | 111,0                  | 80,0                   | 85,7      | 100,0     | 18        | 322                 | 6,010         |
| 126801 | 27 H 300 | 2F    | ST         | 27        | 109,15                 | 107,78                 | 115,0                  | 80,0                   | 85,7      | 100,0     | 18        | 323                 | 6,450         |
| 126802 | 28 H 300 | 2F    | ST         | 28        | 113,19                 | 111,82                 | 119,0                  | 80,0                   | 85,7      | 100,0     | 18        | 325                 | 6,910         |
| 126803 | 30 H 300 | 2F    | ST         | 30        | 121,29                 | 119,90                 | 127,0                  | 80,0                   | 85,7      | 100,0     | 18        | 327                 | 7,900         |


\* ST = Stahl / GG = Grauguss

# Zahnriemenscheiben

ISO 5294 H 300

Teilung 1/2" (12,7 mm)

für Zahnriemenbreite 3" (76,2 mm)



| Nr.    | Kurzbez.  | Zähne | Ausführung | Material* | d <sub>p</sub><br>(mm) | d <sub>e</sub><br>(mm) | D <sub>f</sub><br>(mm) | D <sub>m</sub><br>(mm) | F<br>(mm) | L<br>(mm) | d<br>(mm) | Bordscheiben<br>Nr. | Masse<br>(kg) |
|--------|-----------|-------|------------|-----------|------------------------|------------------------|------------------------|------------------------|-----------|-----------|-----------|---------------------|---------------|
| 126804 | 32 H 300  | 2F    | ST         | 32        | 129,36                 | 127,99                 | 135,0                  | 80,0                   | 85,7      | 100,0     | 18        | 328                 | 8,920         |
| 126805 | 33 H 300  | 2F    | ST         | 33        | 133,40                 | 132,03                 | 140,0                  | 80,0                   | 85,7      | 100,0     | 18        | 330                 | 9,460         |
| 126806 | 34 H 300  | 2F    | ST         | 34        | 137,45                 | 136,07                 | 143,0                  | 80,0                   | 85,7      | 100,0     | 18        | 331                 | 10,040        |
| 126807 | 35 H 300  | 2F    | ST         | 35        | 141,49                 | 140,12                 | 148,0                  | 80,0                   | 85,7      | 100,0     | 18        | 333                 | 10,620        |
| 126808 | 36 H 300  | 2F    | ST         | 36        | 145,53                 | 144,16                 | 152,0                  | 80,0                   | 85,7      | 100,0     | 18        | 334                 | 11,240        |
| 126809 | 38 H 300  | 2F    | ST         | 38        | 153,62                 | 152,24                 | 158,0                  | 80,0                   | 85,7      | 100,0     | 18        | 335                 | 12,440        |
| 126810 | 40 H 300  | 2F    | ST         | 40        | 161,70                 | 160,33                 | 168,0                  | 80,0                   | 85,7      | 100,0     | 18        | 338                 | 13,800        |
| 126811 | 44 H 300  | 4F    | GG         | 44        | 177,87                 | 176,50                 | 184,0                  | 80,0                   | 85,7      | 100,0     | 24        | 339                 | 7,220         |
| 126812 | 48 H 300  | 4F    | GG         | 48        | 194,04                 | 192,67                 | 200,0                  | 90,0                   | 85,7      | 100,0     | 24        | 342                 | 8,600         |
| 126813 | 50 H 300  | 4     | GG         | 50        | 202,13                 | 200,75                 |                        | 90,0                   | 85,7      | 100,0     | 24        |                     | 8,990         |
| 126814 | 58 H 300  | 4     | GG         | 58        | 234,47                 | 233,09                 |                        | 90,0                   | 85,7      | 100,0     | 24        |                     | 10,040        |
| 126815 | 60 H 300  | 4     | GG         | 60        | 242,55                 | 241,18                 |                        | 100,0                  | 85,7      | 100,0     | 24        |                     | 11,180        |
| 126816 | 72 H 300  | 4     | GG         | 72        | 291,06                 | 289,69                 |                        | 120,0                  | 85,7      | 100,0     | 28        |                     | 15,070        |
| 126817 | 84 H 300  | 4     | GG         | 84        | 339,57                 | 338,20                 |                        | 120,0                  | 85,7      | 100,0     | 28        |                     | 16,970        |
| 126818 | 96 H 300  | 4     | GG         | 96        | 388,08                 | 386,71                 |                        | 120,0                  | 85,7      | 100,0     | 28        |                     | 19,860        |
| 126819 | 120 H 300 | 4     | GG         | 120       | 485,10                 | 483,73                 |                        | 120,0                  | 85,7      | 100,0     | 28        |                     | 25,910        |

\* ST = Stahl / GG = Grauguss